↖ Topic Index

Emacs support for Pascal 🚧

Description	Keystroke	Function	Note
Pascal Editing Last updated on: 2025-03-30	Emacs has built-in Pascal support. • PEL adds extra support when 🔄 the **pel-use-pascal** user-option is set to t. Type **`<f1> o pel-use-pascal <RET>`** to change it. • PEL support is partial 🚧. If you need extra features implemented please request them via bug in the PEL Github project.		
Open this PDF file. See also: Σ **Help/Info**	**`<f11> SPC M-p <f1>`** **`<f12> <f1>`**	(**pel-help-pdf** &optional OPEN-WEB-PAGE)	Open the **PEL - Pascal** local PDF. If the prefix argument (like **`C-u`** or **`M--`**) is used, then it opens the remote GitHub hosted raw PDF instead. If the **pel-flip-help-pdf-arg** user-option is set it's the other way around.
Σ **Customize** PEL Pascal support	**`<f11> SPC M-p <f2>`** **`<f12> <f2>`**	(**pel-customize-pel** &optional OTHER-WINDOW)	Customize PEL Pascal support. • If OTHER-WINDOW is non-nil (use **`C-u`**), display in another window.
Σ **Customize** Emacs Pascal support	**`<f11> SPC M-p <f3>`** **`<f12> <f3>`**	(**pel-customize-library** &optional OTHER-WINDOW)	Customize Emacs Pascal support: pascal • If OTHER-WINDOW is non-nil (use **`C-u`**), display in another window.
Comments			
Toggle display of comments in buffer or active region See also: Σ **Comments**	**`<f11> ; ;`**	(**hide/show-comments-toggle** &optional START END)	Toggle hiding/showing of comments in the active region or whole buffer. • If the region is active then toggle in the region. Otherwise, in the whole buffer. 📦 This requires the **hide-comnt.el** package (see Σ **Comments**). 🔄 PEL activates it when the **pel-use-hide-comnt** user option is **t**.

Emacs & Pascal — References

Document	Notes